Author Index

Bagger-Sjöbäck, D., see Takumida, M., (37) 163
Bobbin, R.P., see Puel, J.-L. (37) 83
Bobbin, R.P., see Puel, J.L. (37) 53
Bobbin, R.P., see Puel, J.L. (37) 65

Cazals, Y., see Didier, A. (37) 123
Cotanche, D.A., see Tilney, L.G. (37) 71

Das, A., see Kroese, A.B.A. (37) 203
Davies, S., see Forge, A. (37) 129
Didier, A. and Cazals, Y.
Acoustic responses recorded from the saccular bundle on the eighth nerve of the guinea pig (37) 123
Dolan, T.G. and Mills, J.H.
Recoveries of whole-nerve AP thresholds, amplitudes and tuning curves in gerbils following noise exposure (37) 193
Dunia, R. and Narins, P.M.
Tone-derived vs. tone-in-noise-derived filter functions of frog auditory nerve fibers: A comparison (37) 241

Fallon, M., see Puel, J.-L. (37) 83
Fallon, M., see Puel, J.L. (37) 53
Fallon, M., see Puel, J.L. (37) 65
Feldmann, H., see Hoke, M. (37) 281
Forge, A., Zajic, G., Davies, S., Weiner, N. and Schacht, J.
Gentamicin alters membrane structure as shown by freeze-fracture of liposomes (37) 129

Gifford, M.L., see Guinan, Jr., J.J. (37) 29
Gleich, O.
Auditory primary afferents in the starling: Correlation of function and morphology (37) 255
Guinan, Jr., J.J. and Gifford, M.L.
Effects of electrical stimulation of efferent olivocochlear neurons on cat auditory-nerve fibers. III. Tuning curves and thresholds at CF (37) 29

Harada, Y., see Takumida, M. (37) 163
Henry, K.R., see Lewis, E.R. (37) 219
Hoke, M., Feldmann, H., Pantev, C., Lütkenhöner, B. and Lehnertz, K.
Objective evidence of tinnitus in auditory evoked magnetic fields (37) 281
Hubel, S.B. and Park, J.C.
Volume fraction and the ultrastructure of age pigment in the saccular epithelium of old mice (37) 171
Hudspeth, A.J., see Kroese, A.B.A. (37) 203
Hunter, K.P., see Willott, J.F. (37) 1
Hunter, K.P., see Willott, J.F. (37) 15

Jho, H.D., see Møller, A.R. (37) 47

Kelly, J.B., see Phillips, D.P. (37) 269
Kroese, A.B.A., Das, A. and Hudspeth, A.J.
Blockage of the transduction channels of hair cells in the bullfrog's sacculus by aminoglycoside antibiotics (37) 203

Lehnertz, K., see Hoke, M. (37) 281
Lewis, E.R. and Henry, K.R.
Transient responses to tone bursts (37) 219
Liberman, M.C., see Warren, III, E.H. (37) 105
Liberman, M.C., see Warren, III, E.H. (37) 89
Lütkenhöner, B., see Hoke, M. (37) 281

Mills, J.H., see Dolan, T.G. (37) 193
Møller, A.R. and Jho, H.D.
Responses from the brainstem at the entrance of the eighth nerve in human to contralateral stimulation (37) 47
Morest, D.K., see Ostapoff, E.-M. (37) 141

Narins, P.M., see Dunia, R. (37) 241

Ostapoff, E.-M. and Morest, D.K.
A degenerative disorder of the central auditory system of the gerbil (37) 141

Pantev, C., see Hoke, M. (37) 281
Parham, K., see Willott, J.F. (37) 1
Parham, K., see Willott, J.F. (37) 15
Park, J.C., see Hubel, S.B. (37) 171
Phillips, D.P. and Kelly, J.B.
Coding of tone-pulse amplitude by single neurons in auditory cortex of albino rats (Rattus norvegicus) (37) 269
Puel, J.-L., Bobbin, R.P. and Fallon, M.
2-Amino-4-phosphonobutyric acid receptors are not involved in synaptic transmission from hair cells to auditory neurons (37) 83
Puel, J.L., Bobbin, R.P. and Fallon, M.
An ipsilateral cochlear efferent loop protects the cochlea during intense sound exposure (37) 65
Puel, J.L., Bobbin, R.P. and Fallon, M.
The active process is affected first by intense sound exposure (37) 53

Runhaar, G.
The surface morphology of the avian tectorial membrane (37) 179

Schacht, J., see Forge, A. (37) 129
Stewart, W.R., see Trune, D.R. (37) 189

Takumida, M., Bagger-Sjöbäck, D., Wersäll, J. and Harada, Y.
The effect of gentamicin on the glycocalyx and the ciliary interconnections in vestibular sensory cells: A high resolution scanning microscopic investigation (37) 163
Tilney, L.G., Tilney, M.S. and Cotanche, D.A.
New observations on the stereocilia of tall and short hair cells of the chicken cochlea (37) 71
Tilney, M.S., see Tilney, L.G. (37) 71
Trune, D.R. and Stewart, W.R.
Low cost device for removing human and small primate temporal bone plugs (37) 189

Warren, III, E.H. and Liberman, M.C.
Effects of contralateral sound on auditory-nerve responses. I. Contributions of cochlear efferents (37) 89

Warren, III, E.H. and Liberman, M.C.
Effects of contralateral sound on auditory-nerve responses. II. Dependence on stimulus variables (37) 105
Weiner, N., see Forge, A. (37) 129
Wersäll, J., see Takumida, M. (37) 163
Willott, J.F., Parham, K. and Hunter, K.P.
Response properties of inferior colliculus neurons in middle-aged C57BL/6J mice with presbycusis (37) 15
Willott, J.F., Parham, K. and Hunter, K.P.
Response properties of inferior colliculus neurons in young and very old CBA/J mice (37) 1

Zajic, G., see Forge, A. (37) 129

Subject Index

Acoustic responses
Guinea pig; Saccular nerve bundles (Didier, A. (37) 123)

Acoustic trauma
Cochlea; Kynurenic acid; Active process; Neurotransmitter (Puel, J.L. (37) 53)

Cochlea; Efferents (Puel, J.L. (37) 65)

Action potential amplitude
Noise exposure; Whole-nerve action potential; Tuning curve (Dolan, T.G. (37) 193)

Active process
Cochlea; Acoustic trauma; Kynurenic acid; Neurotransmitter (Puel, J.L. (37) 53)

Age pigment
Lipofuscin; Saccule; Mouse C57BL/6; Vestibular (Hubel, S.B. (37) 171)

Aging
Presbycusis; Mice; Central auditory system (Willott, J.F. (37) 1)

Presbycusis; Central auditory system; Mice (Willott, J.F. (37) 15)

Aminoglycoside
Channel; Dihydrostreptomycin; Gentamicin; Hair cell; Ototoxicity; Transduction (Kroese, A.B.A. (37) 203)

2-Amino-4-phosphonobutyric acid
Cochlea; Hair cell; Neurotransmitter (Puel, J.-L. (37) 83)

Auditory
Frog; Filter; Noise; Nerve, VIII; Masking (Dunia, R. (37) 241)

Auditory cortex
Rat; Intensity code; Dynamic range (Phillips, D.P. (37) 269)

Auditory evoked magnetic fields
Tinnitus; Biomagnetism; Magnetoencephalogram; Auditory evoked potentials (Hoke, M. (37) 281)

Auditory evoked potential
Cochlear nucleus; Intraoperative recording; Contralateral response; Auditory nerve (Møller, A.R. (37) 47)

Auditory evoked potentials
Tinnitus; Biomagnetism; Magnetoencephalogram; Auditory evoked magnetic fields (Hoke, M. (37) 281)

Auditory nerve
Olivocochlear; Efferents; Medial olivocochlear; Tuning curve (Guinan, Jr., J.J. (37) 29)

Auditory evoked potential; Cochlear nucleus; Intraoperative recording; Contralateral response (Møller, A.R. (37) 47)

Contralateral sound; Olivocochlear efferents (Warren, III, E.H. (37) 89)

Contralateral sound; Olivocochlear efferents (Warren, III, E.H. (37) 105)

Aves
Tectorial membrane; Morphology (Runhaar, G. (37) 189)

Biomagnetism
Tinnitus; Magnetoencephalogram; Auditory evoked magnetic fields; Auditory evoked potentials (Hoke, M. (37) 281)

Central auditory system
Aging; Presbycusis; Mice (Willott, J.F. (37) 1)

Presbycusis; Mice; Aging (Willott, J.F. (37) 15)

Channel
Aminoglycoside; Dihydrostreptomycin; Gentamicin; Hair cell; Ototoxicity; Transduction (Kroese, A.B.A. (37) 203)

Ciliary interconnection
Glycocalyx; Tip link; Labyrinth; Gentamicin; SEM (Takumida, M. (37) 163)

Cochlea
Acoustic trauma; Kynurenic acid; Active process; Neurotransmitter (Puel, J.L. (37) 53)

Acoustic trauma; Efferents (Puel, J.L. (37) 65)

2-Amino-4-phosphonobutyric acid; Hair cell; Neurotransmitter (Puel, J.-L. (37) 83)

Starling; Frequency map; Innervation pattern; Hair cell type (Gleich, O. (37) 255)

Cochlear nonlinearities
Cochlear onset responses; Cochlear offset responses; Properties of tone bursts (Lewis, E.R. (37) 219)

Cochlear nucleus
Auditory evoked potential; Intraoperative recording; Contralateral response; Auditory nerve (Møller, A.R. (37) 47)

Microcyst; Neuropathology (Ostapoff, E.-M. (37) 141)

Cochlear offset responses
Cochlear onset responses; Properties of tone bursts; Cochlear nonlinearities (Lewis, E.R. (37) 219)

Cochlear onset responses
Cochlear offset responses; Properties of tone bursts; Cochlear nonlinearities (Lewis, E.R. (37) 219)

Contralateral response
Auditory evoked potential; Cochlear nucleus; Intraoperative recording; Auditory nerve (Møller, A.R. (37) 47)

Contralateral sound
Auditory nerve; Olivocochlear efferents (Warren, III, E.H. (37) 89)

Auditory nerve; Olivocochlear efferents (Warren, III, E.H. (37) 105)

Dihydrostreptomycin
Aminoglycoside; Channel; Gentamicin; Hair cell; Ototoxicity; Transduction (Kroese, A.B.A. (37) 203)

Dynamic range
Rat; Auditory cortex; Intensity code (Phillips, D.P. (37) 269)

Efferents
Olivocochlear; Medial olivocochlear; Auditory nerve; Tuning curve (Guinan, Jr., J.J. (37) 29)

Cochlea; Acoustic trauma (Puel, J.L. (37) 65)

Filter
Auditory; Frog; Noise; Nerve, VIII; Masking (Dunia, R. (37) 241)

Freeze-fracture
Liposomes; Phosphatidylinositol bisphosphate; Ototoxicity; Gentamicin (Forge, A. (37) 129)

Frequency map
Starling; Cochlea; Innervation pattern; Hair cell type (Gleich, O. (37) 255)

Frog
Auditory; Filter; Noise; Nerve, VIII; Masking (Dunia, R. (37) 241)

Gentamicin
Freeze-fracture; Liposomes; Phosphatidylinositol bisphosphate; Ototoxicity (Forge, A. (37) 129)

Aminoglycoside; Channel; Dihydrostreptomycin; Hair cell; Ototoxicity; Transduction (Kroese, A.B.A. (37) 203)

Glycocalyx; Ciliary interconnection; Tip link; Labyrinth; SEM (Takumida, M. (37) 163)

Glycocalyx
Ciliary interconnection; Tip link; Labyrinth; Gentamicin; SEM; (Takumida, M. (37) 163)

Guinea pig
Saccular nerve bundles; Acoustic responses (Didier, A. (37) 123)

Hair cell
Tall; Short (Tilney, L.G. (37) 71)

2-Amino-4-phosphonobutyric acid; Cochlea; Neurotransmitter (Puel, J.-L. (37) 83)

Aminoglycoside; Channel; Dihydrostreptomycin; Gentamicin; Ototoxicity; Transduction (Kroese, A.B.A. (37) 203)

Hair cell type
Starling; Cochlea; Frequency map; Innervation pattern (Gleich, O. (37) 255)

Hole saw
Temporal bone plug removal; Low cost (Trune, D.R. (37) 199)

Innervation pattern
Starling; Cochlea; Frequency map; Hair cell type (Gleich, O. (37) 255)

Intensity code
Rat; Auditory cortex; Dynamic range (Phillips, D.P. (37) 269)

Intraoperative recording
Auditory evoked potential; Cochlear nucleus; Contralateral response; Auditory nerve (Møller, A.R. (37) 47)

Kynurenic acid
Cochlea; Acoustic trauma; Active process; Neurotransmitter (Puel, J.L. (37) 53)

Labyrinth
Glycocalyx; Ciliary interconnection; Tip link; Gentamicin; SEM (Takumida, M. (37) 163)

Lipofuscin
Age pigment; Saccule; Mouse C57BL/6; Vestibular (Hubel, S.B. (37) 171)

Liposomes
Freeze-fracture; Phosphatidylinositol bisphosphate; Ototoxicity; Gentamicin (Forge, A. (37) 129)

Low cost
Temporal bone plug removal; Hole saw (Trune, D.R. (37) 199)

Magnetoencephalogram
Tinnitus; Biomagnetism; Auditory evoked magnetic fields; Auditory evoked potentials (Hoke, M. (37) 281)

Masking
Auditory; Frog; Filter; Noise; Nerve, VIII (Dunia, R. (37) 241)

Medial olivocochlear
Olivocochlear; Efferents; Auditory nerve; Tuning curve (Guinan, Jr., J.J. (37) 29)

Mice
Aging; Presbycusis; Central auditory system (Willott, J.F. (37) 1)

Presbycusis; Central auditory system; Aging (Willott, J.F. (37) 15)

Microcyst
Cochlear nucleus; Neuropathology (Ostapoff, E.-M. (37) 151)

Morphology
Aves; Tectorial membrane (Runhaar, G. (37) 189)

Mouse C57BL/6
Age pigment; Lipofuscin; Saccule; Vestibular (Hubel, S.B. (37) 171)

Nerve, VIII
Auditory; Frog; Filter; Noise; Masking (Dunia, R. (37) 241)

Neuropathology
Cochlear nucleus; Microcyst (Ostapoff, E.-M. (37) 151)

Neurotransmitter
Cochlea; Acoustic trauma; Kynurenic acid; Active process (Puel, J.L. (37) 53)

2-Amino-4-phosphonobutyric acid; Cochlea; Hair cell (Puel, J.-L. (37) 83)

Noise
Auditory; Frog; Filter; Nerve, VIII; Masking (Dunia, R. (37) 241)

Noise exposure
Whole-nerve action potential; Action potential amplitude; Tuning curve (Dolan, T.G. (37) 193)

Olivocochlear
Efferents; Medial olivocochlear; Auditory nerve; Tuning curve (Guinan, Jr., J.J. (37) 29)

Olivocochlear efferents
Contralateral sound; Auditory nerve (Warren, III, E.H. (37) 89)

Contralateral sound; Auditory nerve (Warren, III, E.H. (37) 105)

Ototoxicity
Freeze-fracture; Liposomes; Phosphatidylinositol bisphosphate; Gentamicin (Forge, A. (37) 139)

Aminoglycoside; Channel; Dihydrostreptomycin; Gentamicin; Hair cell; Transduction (Kroese, A.B.A. (37) 203)

Phosphatidylinositol bisphosphate
Freeze-fracture; Liposomes; Ototoxicity; Gentamicin (Forge, A. (37) 139)

Presbycusis
Aging; Mice; Central auditory system (Willott, J.F. (37) 1)

Central auditory system; Mice; Aging (Willott, J.F. (37) 15)

Properties of tone bursts
Cochlear onset responses; Cochlear offset responses; Cochlear nonlinearities (Lewis, E.R. (37) 219)

Rat
Auditory cortex; Intensity code; Dynamic range (Phillips, D.P. (37) 269)

Saccular nerve bundles
Guinea pig; Acoustic responses (Didier, A. (37) 123)

Saccule
Age pigment; Lipofuscin; Mouse C57BL/6; Vestibular (Hubel, S.B. (37) 171)

SEM
Glycocalyx; Ciliary interconnections; Tip link; Labyrinth; Gentamicin (Takumida, M. (37) 163)

Short
Tall; Hair cell (Tilney, L.G. (37) 71)

Starling
Cochlea; Frequency map; Innervation pattern; Hair cell type (Gleich, O. (37) 255)

Tall
Short; Hair cell (Tilney, L.G. (37) 71)

Tectorial membrane
Aves; Morphology (Runhaar, G. (37) 189)

Temporal bone plug removal
Hole saw; Low cost (Trune, D.R. (37) 199)

Tinnitus
Biomagnetism; Magnetoencephalogram; Auditory evoked magnetic fields; Auditory evoked potentials (Hoke, M. (37) 281)

Tip Link
Glycocalyx; Ciliary interconnection; Labyrinth; Gentamicin; SEM (Takumida, M. (37) 163)

Transduction
Aminoglycoside; Channel; Dihydrostreptomycin; Gentamicin; Hair cell; Ototoxicity (Kroese, A.B.A. (37) 203)

Tuning curve
Olivocochlear; Efferents; Medial olivocochlear; Auditory nerve (Guinan, Jr., J.J. (37) 29)

Noise exposure; Whole-nerve action potential; Action potential amplitude (Dolan, T.G. (37) 193)

Vestibular
Age pigment; Lipofuscin; Saccule; Mouse C57BL/6 (Hubel, S.B. (37) 171)

Whole-nerve action potential
Noise exposure; Action potential amplitude; Tuning curve (Dolan, T.G. (37) 193)